

Version: 1.2 Revision Date: 2024-09-30

Released: 2021-02-15 Revis 1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

Supplier:	Product Name: Assembly Grease
Maxima Racing Oils 9266 Abraham Way	Article Number: 69-02916, 69-02505, 69-02055
Santee, CA 92071 USA	Applications: Grease
+1 619 449 5000	Emergency Telephone: CHEMTREC +1 703 527 3887 (24 hours)

2. HAZARDS IDENTIFICATION

GHS Classification

Skin Irritant	Category 2
Eye Damage	Category 1
Skin Sensitization	Category 1B

GHS Pictogram	
Signal Word	Danger!
Hazard Statements	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
Precautionary	
Statements	
Prevention	P264 Wash skin thoroughly after handling.
	P280 Wear protective gloves eye protection and face protection.
Response	P302 + P352 IF ON SKIN: Wash with soap and water.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER or doctor.
	P332+P313 If skin irritation occurs: Get medical attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
Storage	None
Disposal	P501 Dispose of contents and container in accordance with local, regional
	and national regulations.
Other Hazards	None



Calcium dodecylbenzene sulfonate

calcium salts

Assembly Grease

		Version: 1.2
Released: 2021-02-15		Revision Date: 2024-09-30
3. COMPOSITION / INFORMATION ON INGREDIENTS		
Components	Content %	CAS Number
Petroleum Distillates	60-80	64742-54-7
Benzenesulfonic acid, C10-16 alkyl derivs.,	5-<10	68584-23-6

>3-<15

26264-06-2

The specific identity and/or exact percentage has been withheld as a trade secret.

	C
4. FIRST-AID MEASURES	\$
Inhalation	If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get medical attention.
Skin Contact	Wash skin with soap and water. Remove clothing and shoes if contaminated. Launder clothing before reuse. If irritation or rash develops, get medical attention.
Eye Contact	Important! Immediately flush eyes with large amounts of tepid water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Get medical attention.
Ingestion	If conscious, rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.
Most Important	Causes serious eye damage. Causes skin irritation. May cause an allergic skin
Symptoms	reaction. Inhalation of vapors or mists may cause respiratory irritation. Swallowing may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Indication of	Immediate medical attention is not required.
Immediate Medical Attention Needed	
Notes to Physician	Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable Extinguishing	Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish
Media	flames.
Specific Hazards	This material will burn although it is not easily ignited. Combustion will
Arising From The	produce carbon oxide and unidentified organic compounds.
Chemical Special Protective Equipment And Precautions For Fire- Fighters	Firefighters should wear full emergency equipment and a NIOSH approved positive pressure self-contained breathing apparatus. Cool exposed intact containers with water



	Version: 1.2
Released: 2021-02-15	Revision Date: 2024-09-30
6. ACCIDENTAL RELEAS	E MEASURES
Personal Precautions	Wear appropriate protective equipment. Wash thoroughly after handling.
	See also: "Personal Protection" section 8.

Environmental Hazards	Avoid release into the environment. Report spill as required by local and federal regulations.
Methods/Materials for Cleaning up	Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13 "Disposal Considerations".

7. HANDLING AND STORAGE

Precautions for Safe Handling:	Avoid contact with skin, eyes and clothing. Avoid breathing vapors and mists. Wear protective clothing and equipment. Wash thoroughly with
	soap and water after handling. Remove oil-soaked clothing and launder before re-use.
Conditions for Safe Storage	Store in a cool area away from oxidizing and reducing agents. Protect containers from physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits		
	Petroleum Distillates	5 mg/m ³ TWA OSHA PEL
		5 mg/m ³ TWA ACGIH TLV
		10 mg/m ³ TWA ACGIH STEL
	Benzenesulfonic acid, C10-16 alkyl derivates, calcium salts	None Established
	Calcium dodecylbenzene- sulfonate	None Established
Appropriate	Good general room ventilation (equivalent to outdoors) should be adequate	
Engineering Controls	under normal conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.	
Personal Protection		
Respiratory	None needed under normal use conditions with adequate ventilation. If	
Protection:	exposure limits are exceeded, use a NIOSH approved respirator with organic vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene practice.	
Eye Protection:	Safety glasses or goggles recommen	nded if splashing is possible.



Version: 1.2 Revision Date: 2024-09-30

Released: 2021-02-15 Skin/Body Protection:

No special protective clothing is normally required. If there is a potential for prolonged skin contact, wear a long sleeved shirt and apron. Neoprene or nitrile rubber boots when necessary to avoid contaminating shoes. Hand Protection: Use nitrile or neoprene gloves for prolonged or repeated skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Semi-solid grease
Color	Red
Odor	Petroleum odor
Odor Threshold	No data available
рН	No data available
Freezing Point	No data available
Boiling Point	No data available
Flash Point	>428°F (>220°C) (base oils) (ASTM D92)
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Upper Explosion Limit	No data available
Lower Explosion Limit	No data available
Vapor Pressure	No data available
Vapor Density (Air=1)	No data available
Relative Density	1.0-1.1
Solubility	Soluble in hydrocarbons; insoluble in water
Partition Coefficient: n-	No data available
octanol/water	
Auto Ignition	No data available
Temperature	
Decomposition	No data available
Temperature	
Volatile Organic	0%
Compounds (VOC)	
Viscosity	>20.5 cSt @ 104°F

10. STABILITY AND REACTIVITY

Reactivity	Not expected to be reactive.
Chemical Stability	Stable.
Possibility of Hazardous	None known.
Reactions	
Conditions to Avoid	Avoid temperatures over 120°F, open flames and sparks.
Incompatible Materials	Avoid contact with strong oxidizing or reducing agents.
Hazardous Decomposition Product Thermal decomposition may produce carbon oxides and	
	unidentified organic compounds.



Released: 2021-02-15

Version: 1.2 Revision Date: 2024-09-30

11. TOXICOLOGICAL INFORMATION

Potential Health Hazards

Eye Contact: Causes serious eye damage with redness, tearing and pain. May cause damage to the cornea, iris or conjunctiva.

Skin Contact: Causes skin irritation with non-allergic dermatitis. May cause allergic dermatitis in sensitive individuals. May cause an allergic skin reaction.

Inhalation: Excessive inhalation of vapors or mists may cause upper respiratory tract irritation. Breathing high concentrations of oil mists may cause lung damage.

Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea.

Chronic Effects of Overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.

Sensitization: Benzenesulfonic acid, C10-16 alkyl derivs., calcium salts, are skin sensitizers (Category 1B)

Mutagenicity: This product is not expected to cause mutagenic activity.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects. **Carcinogenicity**: None of the major components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA.

Acute Toxicity:

Petroleum Distillates	Oral rat LD50 >5000 mg/kg
(CAS 64742-54-7)	Inhalation rat LC50 >5.53 mg/L/4 hr (mist)
	Dermal rabbit LD50 >2000 mg/kg
Benzenesulfonic acid, C10-16	Oral rat LD50 >5000 mg/kg
alkyl derivs., calcium salts	Inhalation rat LC50 NA
	Dermal rabbit LD50 NA
Calcium dodecylbenzene-	Oral rat LD50 1300 mg/kg
sulfonate	Inhalation rat LC50 NA
	Dermal rabbit LD50 NA

12. ECOLOGICAL INFORMATION

Ecotoxicity

Petroleum Distillates
(CAS 64742-54-7)

Benzenesulfonic acid, C10-16 alkyl derivs., calcium salts LL50 fish >100 mg/L EL50 aquatic invertebrates > 100 mg/L EL50 algae > 100 mg/L LC50 fish >100 mg/L EC50 aquatic invertebrates NA EC50 algae NA LC50 fish >1-10 mg/L



Version: 1.2

Assembly Grease

Released: 2021-02-15 Revision Date: 2024-09-30 Calcium dodecylbenzene-EC50 aquatic invertebrates NA sulfonate EC50 algae NA **Biodegradation** Petroleum distillates Not readily biodegradable (CAS 64742-54-7) Benzenesulfonic acid, C10-16 Not readily degradable. alkyl derivs., calcium salts Readily biodegradable (>60%, OECD TG 301 F) Calcium dodecylbenzenesulfonate **Bioaccumulation** Petroleum distillates Log Kow of > 5.3 which suggests a potential for bioaccumulation (CAS 64742-54-7) Benzenesulfonic acid, C10-16 No potential for bioaccumulation. alkyl derivs., calcium salts Calcium dodecylbenzene-Low potential for bioaccumulation. sulfonate Mobility in soil The product is not water soluble (floats on water) and may be adsorbed to soil particles. Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

Disposal

Dispose in accordance with all local, state and federal regulations.

14. TRANSPORT INFORMATION

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
DOT		Not Regulated			
TDG		Not Regulated			
IMDG		Not Regulated			
ΙΑΤΑ		Not Regulated			

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product is transported only in packaged form

Special precautions: None known.



Version: 1.2 Revision Date: 2024-09-30

Released: 2021-02-15 15. REGULATORY INFORMATION

CERCLA: This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Acute Health hazard

EPA SARA 313: This product contains the following chemicals that are regulated under SARA Title III, section 313: None.

California Proposition 65: This product contains the following chemicals known to the State of California to cause cancer and reproductive toxicity: None.

Chemical Inventories

Toxic Substances Control Act: This material contains one or more substances that are regulated by a TSCA Significant New Use Rule (SNUR) and/or Consent Order.

16.	OTHER	INFORMATION	
TO .	OTTER		

NFPA Rating (NFPA 704):	Health: 2	Fire: 1	Instability: 0
HMIS Rating:	Health: 2	Fire: 1	Physical Hazard: 0

Date of Revision: September 30, 2024 Date of Previous Revision: April 9, 2024 Revision History: 2/15/2021 Document created 4/9/2024 Document updated 9/30/24: Reviewed all sections to ensure they are up to date

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.