

Page: 1/6

EXTRA SERIES 4-CYCLE ENGINE OIL

Release date: 1 June 2015

Version: 2.0 Revision date: 14 February 2022

1. Identification of the substance / application and the company

Supplier:

Maxima Racing Oils 9266 Abraham Way Santee, CA 92071 USA +1 619 449 5000 **Product name:** Extra Series 4 Cycle Engine Oil 0W-10, 5W-40, 10W-40, 10W-60, 15W-50 **Article number:** 30-13901, 30-139128, 30-13505, 30-13960, 30-13055, 17901, 179128, 17505, 30-17960, 17055, 16901, 169128, 16505, 30-16960, 16055, 30-30901, 30-309128, 30-30505, 30-30960, 30-30055, 32901, 329128, 32505, 30-32960, 32055

Applications: 4T Engine Oil

Emergency Telephone: In USA: CHEMTREC +1 703 527 3887 (24 hours) Outside USA: +1 619 449 5000

2. Hazards identification

GHS classification Not classified as hazardous in accordance with OSHA Hazcom 2012.

GHS pictogram	No GHS pictogram.
Signal word	No signal word.
Hazard statements	No hazard statements.
Precautionary statements	6
Prevention statements	No prevention statements.
Response statements	No response statements.
Storage statements	No storage statements.
Disposal statements	No disposal statements.
Other hazards	No other hazards.

3. Composition/information on ingredients

Components	Content %	CAS Number
Synthetic Base Oils	80-90	Proprietary
Multifunctional Additive Mixture	10-20	Mixture
Zinc alkyldithiophosphate	<5	Proprietary
Organosulfur-Phosphorus Compound	<5	Proprietary

The specific identity and/or exact percentage has been withheld as a trade secret.

4. First-aid measures	
Inhalation	If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get medical attention.
Skin contact	Wash skin with soap and water. Remove clothing and shoes if contaminated. Launder clothing before re-use.
Eye contact	Flush eyes with water for several minutes. Remove contact lenses, if present and easy to do so. If eye irritation persists, get medical attention.



Page: 2/6

EXTRA SERIES 4-CYCLE ENGINE OIL

Release date: 1 June 20	Version: 2.0 15 Revision date: 23 January 2020				
Ingestion	If conscious, rinse mouth with water. Do not induce vomiting. Never give				
Most important symptom	anything by mouth to an unconscious person. Get medical attention. Causes eye irritation. Prolonged skin contact may cause irritation. Inhalation of vapors or mists may cause respiratory irritation. Swallowing				
Indication of immediate medical attention needed	may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Immediate medical attention is not required.				
Notes to physician	Treat appropriately.				
5. Firefighting measures					
Suitable extinguishing media Specific hazards arising from the chemical Special protective equipment and precaution for firefighters	containers with water.				
6. Accidental release mea	asures				
Personal precautions	Wear appropriate protective equipment. Wash thoroughly after handling. See also "Personal protection" section 8.				
Environmental hazards	Avoid release into the environment. Report spill as required by local and federal regulations.				
Methods/materials for cleaning up	Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13 "Disposal considerations".				
7. Handling and storage					
Precautions for safe handling:Avoid contact with eyes and prolonged or repeated contact with skin clothing. Avoid breathing vapors and mists. Wash thoroughly handling. Remove oil-soaked clothing and launder before re-use.Conditions for safe storage:Store in a cool area away from oxidizing agents. Protect containers physical damage.					
8. Exposure controls/personal protection					
N Z	Synthetic Base Oils5 mg/m³ - TWA ManufacturerMultifunctional Additive MixtureNo limit established.No limit establishedNo limit established.				
Appropriate G	Organosulfur-Phosphorus Compound No limit established. Good general room ventilation (equivalent to outdoors) should be adequate				

Personal protection



Page: 3/6

EXTRA SERIES 4-CYCLE ENGINE OIL

Release date: 1 June 2015

Version: 2.0 Revision date: 23 January 2020

Respiratory protection: No respiratory protection needed under normal use conditions with adequate ventilation. If exposure limits are exceeded, use a NIOSH approved respirator with organic vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene practice.

Eye protection: Safety glasses or goggles recommended if splashing is possible.

Skin/body protection: No special protective clothing is normally required. If there is a potential for prolonged skin contact, wear a long sleeved shirt and apron. Neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

Hand protection: Use nitrile or neoprene gloves for prolonged or repeated skin contact.

9. Physical and chemical properties

Appearance	Liquid
Color	Amber
Odor	Petroleum odor
Odor threshold:	No data available.
рН	No data available.
Freezing point	No data available.
Boiling point	No data available.
Flash point	>450°F / 232°C
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper explosion limit	No data available.
Lower explosion limit	No data available.
Vapor pressure	<0.01 mmHg @ 100°F
Vapor density (Air=1)	>1
Relative density	0.85-0.87 @ 15.0°C
Solubility	Soluble in hydrocarbons; insoluble in water
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Volatile organic compounds (VOC)	No data available.
Viscosity	>20.5 cSt @ 40°C

10. Stability and reactivity

Reactivity	Not expected to be reactive.			
Chemical stability	Stable.			
Possibility of hazardous reactions:	No possibility of hazardous reactions known.			
Conditions to avoid	Avoid temperatures over 120°F, open flames and sparks.			
Incompatible materials:	Avoid contact with strong oxidizing agents.			
Hazardous decomposition products	Thermal decomposition may produce carbon oxides and			
	unidentified organic compounds.			



Biodegradation

SAFETY DATA SHEET

Page: 4/6

EXTRA SERIES 4-CYCLE ENGINE OIL

Release date: 1 June 2015

Version: 2.0 Revision date: 23 January 2020

Eye contact:May cause mild irritation.Skin contact:Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin contact may cause dermatitis.Inhalation:The excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage.Ingestion:Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea.Chronic effects of overexposure:Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.Sensitization:None of the components have been found to cause sensitization in animals or humans.Mutagenicity:This product is not expected to cause reproductive or developmental effects.	11. Toxicological information	
Eye contact: May cause mild irritation. Skin contact: Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin contact may cause dermatitis. Inhalation: The excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage. Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: LD50 oral rat - >5000 mg/kg; LC50 inhalation rat ->5.2 mg/L/4 hr; LD50 dermal rat ->2000 mg/kg Synthetic Base Oils LD50 oral rat - 3100 mg/kg; LC50 inhalation rat ->2.3 mg/L/4 hr (no mortality); LD50 dermal rat ->2002 mg/kg Corganosulfur-Phosphorus D50 oral rat - 113000 mg/L; 48 hr EL50 Daphnia magna ->1000 mg/L; Synthetic Base Oils <		
Skin contact: Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin contact may cause dermattis. Inhalation: The excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage. Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat ->5.2 mg/L/4 hr; LD50 dermal rat ->2000 mg/kg Vilifunctional Additive Mixture D50 oral rat - 3100 mg/kg; LC50 inhalation rat ->2.3 mg/L/4 hr (no mortality; LD50 dermal rat ->2002 mg/kg Organosulfur-Phosphorus LD50 oral rat - 113000 mg/kg Chronic Base Oils 96 hr LL50 Oncorhynchus mykiss ->1000 mg/L; 48 hr EL50 Daphnia magna ->1000 mg/L	Potential health hazards	
Repeated skin contact may cause dermatitis. Inhalation: The excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage. Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat ->2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >1000 mg/kg; LC50 inhalation rat ->2.3 mg/L/4 hr; lD50 dermal rat ->2000 mg/kg Corpound Ectoxicity 96 hr LL50 Oncorhynchus mykiss ->1000 mg/L; 48 hr EL50 Daphnia magna ->1000 mg/L Multifunctional Additive Mixture 96 hr LL50 Oncorhynchus mykiss ->1000 mg/L; 48 hr C50 Daphnia magna ->1000 mg/L Yuntelic Base Oils	Eye contact:	May cause mild irritation.
Inhalation: The excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage. Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Circ alkyldithiophosphate LD50 oral rat - >1000 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Compound Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 lagae - >100 mg/L; 48 hr EC50 Daphnia magna - 23 m	Skin contact:	Prolonged or repeated contact may cause mild irritation or dryness.
respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage. Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. This product is not expected to cause mutagenic activity. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg LD50 oral rat - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish ->100 mg/L; 48 hr Daphnia magna ->100 mg/L; 72 hr EC50 algae ->100 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		Repeated skin contact may cause dermatitis.
respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage. Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg LD50 oral rat - >5000 mg/kg. LD50 oral rat - >5000 mg/kg. LD50 oral rat - >5000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rabit - >2000 mg/kg LD50 oral rat - >1000 mg/kg LD50 oral rat - >1000 mg/kg. LD50 oral rat - >1000 mg/kg LD50 oral rat - 113000 mg/kg LD50 oral rat - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish ->100 mg/L; 48 hr Daphnia magna ->100 mg/L; 72 hr EC50 algae ->100 mg/L; 48 hr Daphnia magna ->100 mg/L; 72 hr EC50 algae ->100 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Inhalation:	The excessive inhalation of vapors or mists may cause upper
headache, dizziness and nausea. Breathing high concentrations of oil Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg Synthetic Base Oils LD50 oral rat - >2000 mg/kg Corganosulfur-Phosphorus LD50 oral rat - >2000 mg/kg Compound LD50 oral rat - >1100 mg/kg 12. Ecological information LD50 oral rat - >2002 mg/kg Multifunctional Additive Mixture 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutur - 1000 mg/L; 72 hr EL50 Omorhynchus mykiss - >1000 mg/L; 72 hr EC50 Jagae - >100 mg/L; 72 hr EC50 Jagae - >100 mg/L; 72 hr EC50 Jagae - >100 mg/L; 72 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 Jagae - >100 mg/L; 72 hr EC50 Jagae - >100 mg/L; 72 hr EC50 Jagahnia magna - 210 mg/L; 72 hr EC50 Jagae - >100		
Ingestion:mists may cause lung damage.Ingestion:Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea.Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.Sensitization:None of the components have been found to cause sensitization in animals or humans.Mutagenicity:This product is not expected to cause reproductive or developmental effects.Carcinogenicity:None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA.Acute Toxicity:Synthetic Base OilsSynthetic Base OilsLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kgMultifunctional Additive MixtureLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kgZinc alkyldithiophosphateLD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kgCorganosulfur-PhosphorusLD50 oral rat - 113000 mg/kgCompoundMultifunctional Additive Mixture41. Ecological information96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EC50 fish - >100 mg/L; 48 hr EL50 Daphnia magna - >100 mg/L; 72 hr EC50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 Jagae - >100 mg/L; 72 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuda - 21 mg/L		
Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: D50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal ratbit ->2000 mg/kg Corganosulfur-Phosphorus LD50 oral rat - >1000 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat ->2002 mg/kg Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss ->1000 mg/L; 48 hr EL50 Daphnia magna ->1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 Oagn/L; 48 hr Daphnia magna ->100 mg/L; 72 hr EC50 Daphnia magna ->100 mg/L; 72 hr EC50 Daphnia magna ->23 mg/L; 72 hr EC50 Scenedesmus quadricuada -21 mg/L		
nausea and diarrhea. Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - >1000 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; The Ecotoxicity 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; Multifunctional Additive Mixture 96 hr LC50 fish ->100 mg/L; 48 hr Daphnia magna - >100 mg/L; The C50 algae - >100 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 algae - >100 mg/L; Multifunctional	Ingestion:	, , ,
Chronic effects of overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals. Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg Organosulfur-Phosphorus LD50 oral rat - 113000 mg/kg; Compound 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; Multifunctional Additive Mixture 96 hr LC50 fish ->100 mg/L; 48 hr Daphnia magna - >100 mg/L; Y2 hr EC50 algae - >100 mg/L; 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EL50 Daphnia magna - >100 mg/L; Y2 hr EC50 algae - >100 mg/L; Y2 hr EC50 Daphnia magna - >100 mg/L; Y2 hr EC50 algae - >	9	
Sensitization: studies with laboratory animals. None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause mutagenic activity. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabbit - >2000 mg/kg Organosulfur-Phosphorus LD50 oral rat - 3100 mg/kg LD50 oral rat - 3100 mg/kg Compound Ecotoxicity 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 48 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Chronic effects of overexposure	
Sensitization: None of the components have been found to cause sensitization in animals or humans. Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Corganosulfur-Phosphorus LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg LD50 oral rat - 113000 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg LD50 oral rat - 113000 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg LD50 oral rat - 113000 mg/kg; L2 Ecological information Ecotoxicity Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 algae - >100 mg/L Multifunctional Additive Mixture 96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L <tr< td=""><td></td><td></td></tr<>		
Mutagenicity: Reproductive toxicity:animals or humans. This product is not expected to cause mutagenic activity. This product is not expected to cause reproductive or developmental effects.Carcinogenicity:None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA.Acute Toxicity:LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kgMultifunctional Additive MixtureLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rat - >2000 mg/kgZinc alkyldithiophosphateLD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kgEcotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L	Sensitization:	•
Mutagenicity: This product is not expected to cause mutagenic activity. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg Corganosulfur-Phosphorus LD50 oral rat - 113000 mg/kg Compound 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >100 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 48 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 Japhnia magna - >100 mg/L; 72 hr EC50 Japhnia magna - >100 mg/L; 72 hr EC50 Japhnia magna - 21 mg/L		
Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg Organosulfur-Phosphorus LD50 oral rat - 113000 mg/kg Compound 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >100 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Mutagenicity:	
effects. None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabit - >2000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rabit - >2002 mg/kg Organosulfur-Phosphorus LD50 oral rat - 113000 mg/kg Compound D50 oral rat - 113000 mg/kg 12. Ecological information 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L Zinc alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L		
Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA. Acute Toxicity: LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabit - >2000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg Organosulfur-Phosphorus LD50 oral rat - 113000 mg/kg Compound Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish ->100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae ->100 mg/L Zinc alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - >100 mg/L; 72 hr EC50 algae ->100 mg/L		
Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg Organosulfur-Phosphorus Compound LD50 oral rat - 113000 mg/kg 12. Ecological information 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish - >100 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Zinc alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Carcinogenicity [.]	
Acute Toxicity: Synthetic Base Oils LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kg Multifunctional Additive Mixture LD50 oral rat - >5000 mg/kg Zinc alkyldithiophosphate LD50 oral rat - >2000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabbit - >2000 mg/kg Organosulfur-Phosphorus Compound LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg 12. Ecological information Ecotoxicity Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L Zinc alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	our enrogementy.	
Synthetic Base OilsLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kgMultifunctional Additive MixtureLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabbit - >2000 mg/kgZinc alkyldithiophosphateLD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kgOrganosulfur-Phosphorus CompoundLD50 oral rat - 113000 mg/kg 12. Ecological informationEcotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture Zinc alkyldithiophosphate96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LYen alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		suspected cardinogen by IARO, NTT, or OOTA.
Synthetic Base OilsLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr; LD50 dermal rat - >2000 mg/kgMultifunctional Additive MixtureLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabbit - >2000 mg/kgZinc alkyldithiophosphateLD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kgOrganosulfur-Phosphorus CompoundLD50 oral rat - 113000 mg/kg 12. Ecological informationEcotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture Zinc alkyldithiophosphate96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LYen alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Acute Toxicity:	
LD50 dermal rat - >2000 mg/kgMultifunctional Additive MixtureLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabbit - >2000 mg/kgZinc alkyldithiophosphateLD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg LD50 oral rat - 113000 mg/kgOrganosulfur-Phosphorus CompoundLD50 oral rat - 113000 mg/kg 12. Ecological informationEcotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture Zinc alkyldithiophosphate96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		LD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5.2 mg/L/4 hr
Multifunctional Additive MixtureLD50 oral rat - >5000 mg/kg; LC50 inhalation rat - >5 mg/L/4 hr; LD50 dermal rabbit - >2000 mg/kgZinc alkyldithiophosphateLD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kgOrganosulfur-Phosphorus CompoundLD50 oral rat - 113000 mg/kg 12. Ecological informationEcotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture Zinc alkyldithiophosphate96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		
Zinc alkyldithiophosphateLD50 dermal rabbit - >2000 mg/kg LD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg LD50 oral rat - 113000 mg/kgOrganosulfur-Phosphorus CompoundLD50 oral rat - 113000 mg/kg 12. Ecological informationEcotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Multifunctional Additive Mixture	
Zinc alkyldithiophosphateLD50 oral rat - 3100 mg/kg; LC50 inhalation rat - >2.3 mg/L/4 hr (no mortality); LD50 dermal rat - >2002 mg/kg LD50 oral rat - 113000 mg/kgOrganosulfur-Phosphorus CompoundLD50 oral rat - 113000 mg/kg 12. Ecological information Ecotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture Zinc alkyldithiophosphate96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 96 hr LC50 oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		
Mortality); LD50 dermal rat - >2002 mg/kgOrganosulfur-Phosphorus Compound 12. Ecological informationEcotoxicity Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive MixtureWultifunctional Additive MixtureZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Zinc alkyldithionhosphate	
Organosulfur-Phosphorus LD50 oral rat - 113000 mg/kg 12. Ecological information Ecotoxicity Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L Zinc alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		
Compound 12. Ecological information Ecotoxicity Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 algae - >100 mg/L Zinc alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Organosulfur-Phosphorus	5, · · · · · · · · · · · · · · · · · · ·
12. Ecological information Ecotoxicity Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/L Multifunctional Additive Mixture 96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/L; 72 hr EC50 algae - >100 mg/L Zinc alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	•	ED30 oral rat - 113000 hig/kg
EcotoxicitySynthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Compound	
EcotoxicitySynthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	12. Ecological information	
Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 96 hr LC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		
Synthetic Base Oils96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 96 hr LC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Ecotoxicity	
magna - >1000 mg/L; 72 hr EL50 Scenedesmus capricornutum - 1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		96 hr LL50 Oncorhynchus mykiss - >1000 mg/L; 48 hr EL50 Daphnia
Multifunctional Additive Mixture1000 mg/LMultifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	,	
Multifunctional Additive Mixture96 hr LC50 fish - >100 mg/L; 48 hr Daphnia magna - >100 mg/L; 72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphnia magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		• •
72 hr EC50 algae - >100 mg/LZinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphniamagna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Multifunctional Additive Mixture	
Zinc alkyldithiophosphate96 hr LC50 Oncorhynchus mykiss - 4.5 mg/L; 48 hr EC50 Daphniamagna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L		
magna - 23 mg/L; 72 hr EC50 Scenedesmus quadricuada - 21 mg/L	Zinc alkyldithiophosphate	
	Organosulfur-Phosphorus	
	Compound	



Page: 5/6

EXTRA SERIES 4-CYCLE ENGINE OIL

Version: 2.0

Piececumulation

Revision date: 23 January 2020

Bioaccumulation

Release date:

Mobility in soil Other adverse effects: Synthetic base oils are not expected to bioaccumulate. Multifunctional additive mixture has the potential to bioaccumulate. No data available. No other adverse effects known.

13. Disposal considerations

1 June 2015

Disposal

Dispose in accordance with all local, state and federal regulations.

14. Transport information

	UN number	Proper shipping name	Packing group	Environmental hazard
DOT		Proper shipping name not regulated.		
TDG		Proper shipping name not regulated.		
IMDG		Proper shipping name not regulated.		
ΙΑΤΑ		Proper shipping name not regulated.		

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable - product is transported only in packaged form.

Special precautions: No special precautions known.

15. Regulatory information

CERCLA: This product is not subject to CERCLA reporting requirements, however, oil spills are reportable to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Acute health.

EPA SARA 313: This product contains the following chemicals that are regulated under SARA Title III, section 313:

Zinc compounds Zinc alkyldithiophosphate Proprietary

<5%

California Proposition 65: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Chemical Inventories

Toxic Substances Control Act: All of the components of this product are listed on the TSCA inventory. **Canadian CEPA:** All of the components in this product are listed on the Canadian DSL. **Korea:** All of the components in this product are listed on the Korean Existing Chemical Inventory (KECL).

16. Other information

NFPA Rating (NFPA 704):	Health classification:	2	Fire:	1	Instability:	0
HMIS Rating:	Health classification:	2	Fire:	1	Physical hazard:	0



Page: 6/6

EXTRA SERIES 4-CYCLE ENGINE OIL

Release date: 1 June 2015

Version: 2.0 Revision date: 23 January 2020

Date of revision: 23 January 2020 Date of previous revision: July 2018

Revision history:

1 June 2015: Converted to GHS format. All sections revised.

6 July 2015: Updated viscosity properties.

2 November 2017: Updated emergency telephone #.

13 March 2018: Added P/N's for 60L kegs.

2 July 2018: Updated Section 2 to reflect accurate GHS classification based on ZDDP SCL.

23 January 2020: New formulation.

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make their own determination of the suitability of the material for their particular purpose.